

# INDEX MAPS.

## T. 8 N. R. 10 E. 2<sup>nd</sup> Mer.

	74		74		73 75		73 75		73 75		73 75	
78	6	97	5	92	4	89	3	85	2	84	1	72
	97		97		92		88		85		83	
77	7	96	8	92	9	88	10	84	11	83	12	72
	96		96		91		88		84		83	
77	18	96	17	91	16	87	15	84	14	82	13	72
	95		95		91		87		82		80	
77	19	94	20	90	21	87	22	82	23	80	24	71
	94		94		90		86		81		79	
76	30	93	29	90	28	86	27	81	26	79	25	71
	93		93		87		86		81		78	
76	31	93	32	89	33	85	34	80	35	78	36	70
	67		67		67		67		67		68	
	70		69		69		69		68			

## T. 9 N. R. 10 E. 2<sup>nd</sup> Mer.

	104		104		104		104		105		105	
	106		106		106							
108	6	129	5	125	4	122	3	120	2	118	1	104
	129		128		124		122		120		118	
108	7	128	8	124	9	122	10	119	11	118	12	103
	128		127		124		121		119		118	
107	18	127	17	123	16	121	15	119	14	110	13	103
	127		126		123		121		118		112	
107	19	126	20	123	21	120	22	118	23	110	24	102
	126		125		116		114		112		109	
107	30	125	29	115	28	114	27	111	26	109	25	102
	125		117		115		113		111		109	
106	31	116	32	115	33	113	34	111	35	108	36	101
	100		99		99		99		99		99	
		100		101		101		101		101		101

[P] The figures on the lines refer to the page.

Township N. 8 North, Range N. 10 East 2<sup>d</sup>. Mer. Ind.<sup>a</sup>  
ch. 2. 67

South Boundary  
Random Line.

East On S. boundary of Sec. 31, T 8 N. R 10 E

40.00 Set temp. q<sup>r</sup>. Sec. post

43.70 a Brook 5 th. wide Course S. E.

61.20 a Do. 25 " " " S. W.

72.90 a Do. 8 " " " N. W.

80.00 Set temp. Cor. to Sec. 31 & 32

Land waving, timber Beech, Oak, Sugar, Ash &c.

---

East On S. boundary of Sec. 32

27.15 a Brook 4 th. wide Course N. W.

40.00 Set temp. q<sup>r</sup>. Sec. post

58.10 a Brook 8 th. wide Course S. W.

80.00 Set temp. Cor. to Sec. 32 & 33

Land flat, timber Beech, Oak, Maple, Hickory &c.

---

East On S. boundary of Sec. 33

40.00 Set temp. q<sup>r</sup>. Sec. post

53.60 a Brook 5 th. wide Course S.

66.55 a Do. 5 " " " S. W.

80.00 Set temp. Cor. to Sec. 33 & 34

Land waving, timber Beech, Sugar, Oak &c.

water Course 8 th. wide C. S. S. W.

---

East On S. boundary of Sec. 34

4.44 a Creek 40 th. wide Course S. W.

31.40 a Brook 6 " " " N.

40.00 Set temp. q<sup>r</sup>. Sec. post

51.60 a Brook 5 th. wide run. N. W.

77.25 a Do. 10 " " " N.

80.00 Set temp. Cor. to Sec. 34 & 35.

Land hilly, timber Oak, Beech, Sugar, Hickory &c.

---

East On S. boundary of Sec. 35

40.00 Set temp. q<sup>r</sup>. Sec. post

S N R N E. 2<sup>nd</sup> Mer. Indiana

ch. lth

80.00 Let temp. Cor. to Sec. 35 &amp; 36

Sandy hill, timber Oak, Beech, Poplar Ash,  
Hickory &c

East On S. boundary of Sec. 36

40.00 Let temp. q. Sec. post

68.30 a Brook 10 lth. wide Course N. W.

86.80 Fell 12.21 lth. S. of post.

First 1/2 mile hilly - rest level, timber Beech  
Oak Hickory &c. December 5<sup>th</sup> 1806

## True Line

West On S. boundary of Sec. 36

0.75 a S. Gum 15 in. dia.

6.50 a W. Oak 40 " "

40.00 Let q. Sec. post, from which

a Beech 36 in. dia. bran N 85 W 20 lth. dist. of

a Sugar 11 " " " N 65 E 32 " "

53.40 a Brook 8 lth. wide Course N. W.

57.73 a Poplar 20 in. dia.

70.60 a Brook 8 lth. wide Course S. W.

72.50 Same 8 " " " N. W.

77.90 a Beech 24 in. dia.

80.00 Let post Cor. to Sec. 35 &amp; 36, from which

a Beech 16 in. dia. bran North 16 lth. dist. of

a Do. 20 " " " S 6 W 38 " "

West On S. boundary of Sec. 35

6.10 a Brook 6 lth. wide Course N. W.

13.50 a Creek 50 " " " S. W.

19.50 Same 50 " " " N. W.

31.60 a Sugar 11 in. dia.

33.00 a Brook 10 lth. wide Course N. W.

40.00 Let q. Sec. post, from which

a Sugar 14 in. dia. bran N 80 E 9 lth. dist. of

a Beech 7 " " " S 22 W 5 " "

# 69

## S. N. N. W. E. 2. Mer. Indiana

ch. 2. 1/2

- 51.82 a Beech 28 in. dia.  
 63.70 Same Creek 60 lth. wide Course S. W.  
 76.50 a Sugar 20 in. dia.  
 80.00 Set post Cor. to Sec. 34 of 35, from which  
 a Sugar 18 in. dia. by N 5 1/2 W 43 lth. dist. of  
 a Beech 15 " " " S 38 E 26 " "

West On S. boundary of Sec. 34

- 12.60 Same Creek 60 lth. wide C. S. N. W.  
 36.55 a P. Oak 22 in. dia.  
 40.00 Set of Sec. post (in brook 15 lth. wide S.) from which  
 a Buckeye 11 in. dia. by S 70 E 15 lth. dist. of  
 a Do 9 " " " N 53 1/2 W 49 " "  
 42.86 a Sugar 18 " "  
 62.50 Same Creek 60 lth. wide Course S. W.  
 80.00 Set post Cor. to Sec. 33 of 34, from which  
 a Beech 18 in. dia. by S 32 1/2 W 19 lth. dist. of  
 a do. 7 " " " N 47 E 5 " "

West On S. boundary of Sec. 33

- 2.50 a Brook 10 lth. wide Course S. W.  
 19.00 a do 6 " " " S. W.  
 27.00 a Beech 28 in. dia.  
 34.50 a Brook 6 lth. wide Course S. W.  
 40.00 Set of Sec. post, from which  
 a Beech 11 in. dia. by N 37 E 38 lth. dist. of  
 a Poplar 36 " " " S 33 W 30 " "  
 47.04 a Blk — 40 " "  
 80.00 Set post Cor. to Sec. 32 of 33, from which  
 a Hickory 13 in. dia. by N 51 W 3 lth. dist. of  
 a Beech 12 " " " S 17 1/2 E 24 " "  
 January 9<sup>th</sup> 1807

West On S. boundary of Sec. 32

- 15.65 a W. Oak 36 in. dia.  
 29.10 a Brook 6 lth. wide Course S. W.



S. N. W. E. 2<sup>d</sup> Mer. Indiana

ch. lth.

- 40.00 Let q. Sec. post, from which  
at Beech 26 mi. dist. by N 14 E 36 lth. dist. of  
a Do. 6 " " " N 7 E 7 " "
- 66.50 a Brook 5 lth. wide Course N. W.
- 68.66 a Beech 16 mi. dist.
- 78.25 Fork of a Brook 8 lth. wide, one from S. E, the one from N. W.  
80.00 Let post Cor. to Sec. 31 & 32, from which <sup>Line runs down it.</sup>  
at Beech 18 mi. dist. by N 65 E 33 lth. dist. of  
a Sugar 14 " " " N 61 W 17 " "

West On S. boundary of Sec. 31

- 7.90 line leaves the Brook N 70 W
- 15.50 a Brook 5 lth. wide runs N. 100 lth. fallen timber
- 21.00 a Brook 12 " " " S. W.
- 25.18 a Creek 40 " " " S. W.
- 40.00 Let q. Sec. post, from which  
at Beech 7 mi. dist. by N 71 W 30 lth. dist. of  
a Do. 7 " " " N 64 E 22 " "
- 44.80 a Brook 6 lth. wide Course S. W.
- 61.28 a Beech 18 mi. dist.
- 87.00 to Township Corner

East Boundary. var. 6.00 E.

North On E. boundary of Sec. 36

- 5.96 a Beech 7 mi. dist.
- 20.00 a Brook 4 lth. wide Course W
- 40.00 Let q. Sec. post, from which  
at Beech 7 mi. dist. by N 30 E 9 lth. dist. of  
a Do. 6 " " " N 1 W 22 " "
- 52.25 a Brook 20 lth. wide Course N. W.
- 55.44 a W. Oak 42 mi. dist.
- 76.20 a Brook 5 lth. wide Course N. W.
- 80.00 Let post Cor. to Sec. 25 & 36, from which  
at Beech 11 mi. dist. by N 40 W 7 lth. dist. of  
a Do. 24 " " " S 33 E 15 " "
- Land waving, Beech, Oak, Poplar ash, Sugar &c.

# 71

## S. N. R 10 E, 2<sup>nd</sup> Mer. Indiana

ch. lks.  
 North On E. boundary of Sec. 25  
 21.80 a Brook 6th, wide Course N.W.  
 24.00 a Creek 40 lks. " " S.W.  
 27.40 a Beech 13 in. diam.  
 37.04 a Do 20 " "  
 38.00 a Brook 4 lks. wide Course E.  
 40.00 Let gr. Sec. post, from which  
     a Beech 16 in. diam. tray S 40 E 4 lks. dist. of  
     a Do. 6 " " " N 30 W 29 " "  
 43.34 a Beech 24 " "  
 50.50 a Do. 30 " "  
 80.00 Let post Cor. to Sec. 24 of 25, from which  
     a Beech 11 in. diam. tray N 85 E 2 lks. dist. of  
     a Do. 6 " " " S 78 W 20 " "  
 Land waving, timber Beech, Oak, Poplar,  
 Sugar &c. January 10<sup>th</sup> 1807

---

North On E. boundary of Sec. 24  
 10.00 a Brook 5 lks. wide Course N.W.  
 12.00 a Do. 5 " " " N.W.  
 15.50 a Do 6 " " " N.W.  
 17.80 a Poplar 42 in. diam.  
 27.25 a Brook 15 lks. wide Course W.  
 40.00 Let gr. Sec. post, from which  
     a Beech 17 in. diam. tray N 43 W 22 lks. dist. of  
     a Sugar 7 " " " S 8 W 13 " "  
 42.50 a Brook 5 lks. wide Course S.W.  
 57.20 a Poplar 42 in. diam.  
 62.50 a Brook 4 lks. wide Course W.  
 69.50 a Do. 4 " " " W.  
 78.00 a Do. 5 " " " N.W.  
 80.00 Let post Cor. to Sec. 13 of 24, from which  
     a Sugar 22 in. diam. tray N 57 W 29 lks. dist. of  
     a Do. 8 " " " N 88 E 21 " "  
 Land timber &c. Same as on last mile

---

S. N. R. 10 E. 2<sup>d</sup>. Mer. Indianach. 4<sup>th</sup>

North On E. boundary of Sec. 13

25.46 a Beech 17 in. diam.

40.00 Set of Sec. post from which

a Sugar 12 in. diam. bears N 31 W 31 lks. dist. of

a Beech 10 " " " S 43 E 32 " "

41.50 a Brook 6 lks. wide Course N. W.

47.50 a Do. 5 lks. " " W.

58.13 a Blk. Oak 36 in. diam.

63.75 a Brook 6 lks. wide Course W.

80.00 Set post Cor. to Sec. 12 &amp; 13, from which

a B. Gum 20 in. diam. bears S 83 W 10 lks. dist. of

a Sugar 7 " " " S 79 E 30 " "

Sand timber &amp;c. same as on the last mile

North On E. boundary of Sec. 12

7.75 a Brook 20 lks. wide Course W

27.32 a Hickory 14 in. diam.

40.00 Set of Sec. post from which

a Beech 15 in. diam. bears N 56 E 11 lks. dist. of

a Do. 13 " " " S 61 W 32 " "

48.90 a Brook 12 lks. wide Course W.

60.95 a W. Oak 36 in. diam.

65.20 a Brook 20 lks. wide Course S. W.

80.00 Set post Cor. to Sec. 11 &amp; 12, from which

a Beech 24 in. diam. bears S 22 E 13 lks. dist. of

a Sugar 11 " " " N 25 W 30 " "

Sand timber &amp;c. same as on the last mile

North On E. boundary of Sec. 1

28.25 a Beech 13 in. diam.

40.00 Set of Sec. post, from which

a Beech 11 in. diam. bears S 55 W 13 lks. dist. of

a Do. 9 " " " N 70 E 16 " "

48.95 a Beech 14 " "

65.62 a Sugar 15 " "

66.50 a Brook 4 lks. wide course W.



# Tg. N. R10 E. T. Mer. Indiana

73

ch. lks

80.00 Set post Cor. to Township N. 8 of 9 North, of  
Range N. 10 of 11 East T. Mer. from which  
a Beech 8 in. dia. beam S 47 E 5 lks. dist. of  
a Sugar 14 " " " N 69 W 34 " "  
Land waving timber Beech, Sugar, Poplar Oak &c.

## North Boundary. Random line

Nest On S. boundary of Sec. 36, Tg. N. R10 E

5.00 a Brook 6 lks. wide Course S. W.

12.00 a Creek 40 lks. " " S.

40.00 Set temp. q. Sec. post

80.00 Set temp. Cor. to Sec. 35 of 36

Land flat, timber Beech, Maple, Elm, Oak,  
Hickory, Poplar &c.

Nest On S. boundary of Sec. 35, Tg. N. R10 E.

22.40 a Brook 20 lks. wide Course S. W.

40.00 Set temp. q. Sec. post

80.00 Set temp. Cor. to Sec. 34 of 35

Land timber &c. same as on the last mile

Nest On S. boundary of Sec. 34, Tg. N. R10 E.

40.00 Set temp. q. Sec. post

62.28 a Brook 12 lks. wide Course S. W.

68.50 a Do. 4 " " " S. W.

72.00 a Do. 4 " " " S.

78.00 a Do. 4 " " " S. E.

80.00 Set temp. Cor. to Sec. 33 of 34

Land waving, timber Beech Oak, Sugar,  
Maple, Poplar, Hickory &c.

Nest On S. boundary of Sec. 33, Tg. N. R10 E

40.00 Set temp. q. Sec. post

47.40 a Brook 8 lks. wide Course S. W.

65.10 a Do. 9 " " " S. W.

80.00 Set temp. Cor. to Sec. 32 of 33



74

T8N - R10E, 2<sup>d</sup> Mer. Indianach<sup>d</sup> l<sup>y</sup>Land level, timber Beech, Oak, Poplar  
Hickory, Sugar &c. January 11<sup>th</sup> 1807

West On S. boundary of Sec. 32, T8N, R10E.

12.20 a Brook 4 l<sup>y</sup>, wide Course S.W.

31.00 a Do 5 " " " S.W.

40.00 Set temp<sup>y</sup>. of Sec. post80.00 Set temp<sup>y</sup>. Corner to Sec. 31 & 32

Land timber &amp;c. Same as on last mile

West On S. boundary of Sec. 31, T8N, R10E.

17.00 a Brook 8 l<sup>y</sup>, wide Course N.W.40.00 Set temp<sup>y</sup>. of Sec. post43.00 a Brook 5 l<sup>y</sup>, wide Course N.W.50.75 a Creek 70 l<sup>y</sup>, wide Course S80 W.

68.00 Same 70 " " " N.W.

72.75 Same 70 " " " S70 W.

86.18 Fell 470 l<sup>y</sup>, North of Township CornerLand waving, timber Beech, Oak Poplar  
Hickory, Sugar &c.

True Line.

East On S. boundary of Sec. 31, T8N, R10E

3.25 a Creek 70 l<sup>y</sup>, wide Course S.W.

19.90 Same 70 " " " N.W.

24.80 Same 70 " " " S.W.

32.00 a Sugar 24 in. dia<sup>r</sup>.

46.18 Set of Sec. post, from which

a Beech 13 in. dia<sup>r</sup>. Bray N26 W 25 l<sup>y</sup>, dist. of

a Do. 12 " " " S63 E 6 " "

68.20 a Poplar 16 in. dia<sup>r</sup>.

86.18 Set post Cor. to Sec. 31 &amp; 32, T8N, R10E, from which

a Beech 7 in. dia<sup>r</sup>. Bray N36 W 5 l<sup>y</sup>, dist. of

a Sugar 13 " " " S30 W 17 " "

East On S. boundary of Sec. 32, T8N, R10E

T8 N R10 E. 2<sup>nd</sup> Mer. Indiana 75

ch. 2. 1/2

22.13 a Hickory 15 in. diam.

40.00 Set of Sec. post, from which

a Beech 26 in. diam. brang N 52 E 21 lks. dist. of

a Do. 6 " " " S 48 W 14 " "

80.00 Set post Cor. to Sec. 32 & 33, T9 N. R10 E, from which

a S. Gum 36 in. diam. brang N 79 E 22 lks. dist. of

a Beech 12 " " " S 64 W 23 " "

East On S. boundary of Sec. 33, T9 N. R10 E.

40.00 Set of Sec. post, from which

a Beech 15 in. diam. brang S 84 W 6 lks. dist. of

a Poplar 36 " " " S 82 E 34 " "

63.50 a Beech 16 " "

80.00 Set post Cor. to Sec. 33 & 34, T9 N. R10 E, from which

a Poplar 60 in. diam. brang N 34 W 23 lks. dist. of

an Ash 16 " " " S 76 E 14 " "

East On S. boundary of Sec. 34, T9 N. R10 E.

38.25 a Beech 24 in. diam.

40.00 Set of Sec. post, for which

a Beech 13 in. diam. stands for of Sec. Cor. from which

a Do 10 " " brang S 69 E 27 lks. dist.

80.00 Set post Cor. to Sec. 34 & 35, T9 N. R10 E, from which

a Sugar 16 in. diam. brang N 20 E 15 lks. dist. of

a Blk. Oak 36 " " " S 39 W 4 " "

East On S. boundary of Sec. 35, T9 N. R10 E.

40.00 Set of Sec. post, from which

a Beech 12 in. diam. brang S 44 W 8 lks. dist. of

a Do. 13 " " " N 12 W 11 " "

80.00 Set post Cor. to Sec. 35 & 36, T9 N. R10 E, from which

a Beech 10 in. diam. brang N 11 W 6 lks. dist. of

a Do. 9 " " " S 8 1/2 E 32 " "

East On S. boundary of Sec. 36, T9 N. R10 E.

40.00 Set of Sec. post, from which

S 8 N R 10 E 2<sup>nd</sup> Mer. Indiana  
ch. 4<sup>th</sup>

a Maple 12 in. diam. bray N 34 W 17 lks. dist. of  
a Beech 5 " " S 15 E 7 "  
80.00 To the Township Corner. Jan. 12<sup>th</sup> 1807

West Boundary var. 5° 30' E.  
North On E. boundary of Sec. 36, S 8 N, R 9 E.  
6.60 a Brook 5 lks. wide Course W.  
15.62 a Beech 22 in. diam.  
26.95 a W. Oak 30 " "  
29.70 a Brook 5 lks. wide Course W.  
36.30 a do. 4 " " " NW  
40.00 At gr. Sec. post, from which  
a Beech 30 in. diam. bray N 76 W 3 lks. dist. of  
a do. 22 " " " S 60 E 34 " "  
56.25 a Brook 5 lks. wide Course NW.  
62.20 a do 10 " " " W.  
80.00 At post cor. to Sec. 25, 36, S 8 N, R 9 E, from which  
a Beech 15 in. diam. bray N 64 W 18 lks. dist. of  
a Sugar 13 " " " S 51 E 15 " "  
Land growing timber Beech, Poplar, Sugar,  
Hickory, Oak &c.

North On E. boundary of Sec. 25, S 8 N, R 9 E.  
3.90 a Brook 20 lks. wide Course W.  
4.46 a Sycamore 48 in. diam.  
33.20 a Brook 5 lks. wide Course S. W.  
35.29 a Beech 13 in. diam.  
40.00 At gr. Sec. post, from which  
a Beech 12 in. diam. bray N 36 E 12 lks. dist. of  
a do. 13 " " " S 47 W 13 " "  
51.10 a Brook 6 lks. wide Course S. W.  
68.64 a Sugar 15 in. diam.  
80.00 At post cor. to Sec. 24 & 25, S 8 N, R 9 E, from which  
a Maple 14 in. diam. bray N 66 E 30 lks. dist. of  
a Beech 7 " " " S 52 W 9 " "  
Land broken, timber Beech, Sugar Oak, Poplar &c.

# T8N R10E, 2<sup>d</sup> Mer. Indiana 77

Ch. 11<sup>th</sup>

North On E. boundary of Sec. 24, T8N, R9E.

2.00 a Brook 4<sup>th</sup>, wide Course S.W.

16.43 a Beech 17 m. dist.

23.60 a Brook 30<sup>th</sup>, wide Course S.W.

29.40 a do. 6 " " " S.E.

40.00 let of Sec. post, from which

a Beech 14 m. dist. by N 71° 23' E, dist. of

a do. 20 " " " N 67° 33' " "

45.85 a Beech 16 " "

51.53 a Sugar 16 " "

61.50 a Brook 30<sup>th</sup>, wide Course W.

80.00 let post Cor. to Sec. 13 & 24, T8N, R9E, from which

a Beech 10 m. dist. by N 11° E 11<sup>th</sup>, dist. of

a Sugar 9 " " " N 47° 9' " "

Land waving, timber Beech, Sugar, Oak &c.

North On E. boundary of Sec. 13, T8N, R9E.

16.72 a Poplar 30 m. dist.

34.45 a Brook 4<sup>th</sup>, wide Course S.W.

40.00 let of Sec. post, from which

a Beech 11 m. dist. by S 8° E 32<sup>th</sup>, dist. of

a do. 13 " " " N 41° E 7' " "

53.17 an Elm 16 " "

57.95 a Poplar 40 " "

74.43 a Gum 18 " "

80.00 let post Cor. to Sec. 12 & 13, T8N, R9E, from which

a Beech 17 m. dist. by North 26<sup>th</sup>, dist. of

a do. 20 " " " N 44° W 24' " "

Land level, Beech, Oak, Hickory, Sugar, Maple &c.

North On E. boundary of Sec. 12, T8N, R9E.

20.35 a Beech 22 m. dist.

40.00 let of Sec. post, from which

a Beech 16 m. dist. by N 11° E 20<sup>th</sup>, dist. of

a do. 9 " " " N 47° 29' " "

49.80 a Beech 30 " "



T8 N R10 E. 2<sup>nd</sup> Mer. Indiana

ch. lth.

53.25 at Brook 12 lth. wide Course N.W.

68.45 a Sugar 13 in. diam.

80.00 Set post, Cor. to Sec. 1, 12, T8 N. R9 E, from which  
a Sugar 9 in. diam. bray N 2 E 23 lth. dist. of  
a Beech 10 " " " N 23 E 3 " "  
Land level, Beech, Sugar, Poplar, Ash, Oak &c.

North On E. boundary of Sec. 1, T8 N. R9 E

19.30 at Brook 20 lth. wide Course S.W.

26.46 a Sycamore 4 1/2 in. diam.

34.25 a Creek 50 lth. wide C.P. S80 W. line runs up it

40.00 Set q. Sec. post, from which (in brook or creek)  
a Sycamore 12 in. diam. bray N 89 W 52 lth. dist. of  
a Do. 14 " " " N 6 W 74 " "

43.00 leave the Creek, Course up it N.W.

75.00 Same Creek 50 lth. wide Course S.W.

80.00 Set post Cor. to Townships 8 & 9, North, of  
Range 9 & 10 East, from which  
an Elm 24 in. diam. bray N 19 E 13 lth. dist. of  
a Do. 12 " " " N 60 W 5 " "  
Land level greater part bottom, timber  
Beech, Sugar, Walnut, Sycamore &c.December 4<sup>th</sup> 1806

Surveyed By

John Brownson,

Deputy Surveyor

Subdivision, Jan<sup>y</sup> 17<sup>th</sup> 1807

North Between, Sec. 35 &amp; 36, T8 N, R10 E.

0.18 a Beech 20 in. diam.

18.50 a Creek 75 lth. wide Course W.

40.00 Set q. Sec. post, from which  
a Beech 16 in. diam. bray N 44 E 5 lth. dist. of  
a Sugar 18 " " " North 20 " "80.00 Set post Cor. to Sec. 25, 26, 35 & 36, from which  
a Beech 20 in. diam. bray N 35 E 18 lth. dist. of

S. N. N. W. E. T. Mer. Indiana 79  
 ch. 1/4

a ——— 25 in. dia. bray N 35 W 17 1/2 ch. dist. of  
 Over high land, Beech, Sugar, B. M. Oak,  
 Soil 2<sup>nd</sup> rate.

East On Rand<sup>m</sup>. between Sec. 25 & 36  
 40.00 Set temp<sup>y</sup>. gr. Sec. post  
 65.00 a creek 70 ch. wide Course S. W.  
 78.50 Intersected the E. boundary 50 ch. S. of post  
 Over high rich land, Beech, Poplar &c.  
 under 1<sup>st</sup> price

West Corrected between Sec. 25 & 36  
 1.18 a Beech 20 in. dia.  
 39.20 Set gr. Sec. post at average dist. from which  
 a Beech 20 in. dia. bray N 10 W 39 ch. dist. of  
 a Do. 15 " " " 19 E 8 " "  
 78.50 to Sec. Corner

North Between Sec. 25 & 26  
 1.77 a Poplar 20 in. dia.  
 40.00 Set gr. Sec. post, from which  
 a Sugar 12 in. dia. bray N 74 E 14 ch. dist. of  
 a Beech 20 " " " West 3 " "  
 80.00 Set post Co. to Sec. 23, 24, 25 & 26, from which  
 a Sugar 18 in. dia. bray N 38 W 34 ch. dist. of  
 a Beech 15 " " " 168 E 19 " "  
 Over high rich land Beech, B. M. Oak

East On Rand<sup>m</sup>. between Sec. 24 & 25  
 40.00 Set temp<sup>y</sup>. gr. Sec. post  
 78.40 Intersected the E. boundary 20 ch. N. of post  
 Land timber &c. same as on last mile

West Corrected between Sec. 24 & 25  
 0.35 a Sugar 12 in. dia.  
 39.20 Set gr. Sec. post at average dist. from which

T8N R10 E. 2<sup>d</sup> Mer. Indiana  
ch. lks

a Beech 20 m. dist. way East 29 lks. dist. of  
a Sugar 16 " " " N 35 W 25 " "  
78.40 to Sec. Corner.

---

North Between Secs. 23 & 24

3.00 a Creek 50 lks. wide Course West

3.50 a Beech 20 m. dist.

40.00 Set q. Sec. post, from which

a Beech 20 m. dist. way N 65 W 9 lks. dist. of

a Poplar 80 " " " N 65 E 18 " "

80.00 Set post Cor. to Secs. 13, 14, 23 & 24, from which

a Sugar 12 m. dist. way N 53 E 8 lks. dist. of

a Lym 20 " " " N 85 W 8 " "

Land timber &c. same as on last mile

---

East On Rand. between Secs. 13 & 24

40.00 Set temp. q. Sec. post

78.40 Intersected the E. boundary 20 lks. N. of post  
Land timber &c. same as on the last mile

---

West Connected between Secs. 13 & 24

25.00 a Beech 20 m. dist.

39.20 Set q. Sec. post, at average dist. from which

a Beech 20 m. dist. way N 25 E 20 lks. dist. of

a Ro. 20 " " " N 25 W 15 " "

78.40 to Sec. Corner. Jan'y. 18<sup>th</sup>. 1807

---

North Between Secs. 34 & 35

6.80 a W. Oak 15 m. dist.

40.00 Set q. Sec. post, from which

a Beech 12 m. dist. way N 29 W 18 lks. dist. of

a Lym — " " " N 16 E — " "

80.00 Set post, Cor. to Secs. 26, 27, 34 & 35, from which

an Elm 25 m. dist. way N 73 E 24 lks. dist. of

a Beech 19 " " " N 29 W 7 " "

High rich land, Beech, 12 & W. Oak &c.

81

S. N. N. E. 2<sup>d</sup> Mer. Indiana

ch. 1<sup>st</sup> 1/2

East On Rand<sup>m</sup>. between Sec. 26 & 35

40.00 Set temp<sup>y</sup>. gr. Sec. post

79.00 Intersected the N & S. line at the post  
Over high rich land, Beech, Poplar, B. M. oak

---

West Connected between Sec. 26 & 35

1.11 a Beech 20 in. dia.

39.50 Set gr. Sec. post at average dist. from which  
a Poplar 70 in. dia. bear West 25 lbs. dist. of  
a Beech 30 " " " S 80 E 62 " "

79.00 to Sec. Corner.

---

North Between Sec. 26 & 27

2.50 a Sugar 20 in. dia.

6.00 a Creek 75 lbs. wide Course W.

40.00 Set gr. Sec. post, from which  
a Beech 20 in. dia. bear N 88 W 5 lbs. dist. of  
a do. 18 " " " S 88 E 13 " "

80.00 Set post Cor. to Sec. 22, 23, 26, 27, from which  
a S. Gum 18 in. dia. bear N 74 E 53 lbs. dist. of  
a Maple 20 " " " S 61 W 15 " "  
Hilly 2<sup>d</sup>. rate land, timber Beech, B. M. Oak

---

East On Rand<sup>m</sup>. between Sec. 23 & 26

40.00 Set temp<sup>y</sup>. gr. Sec. post

43.00 a Creek 70 lbs. wide Course S. W.

70.00 a Hook 17 " " " S. W.

79.00 Intersected the N & S. line at the post  
Over high land, timber Beech, B. M. Oak  
underg<sup>d</sup>. Spruce & Beech.

---

West Connected between Sec. 23 & 26

2.50 a Beech 20 in. dia.

39.50 Set gr. Sec. post at average dist. from which  
a Sugar 20 in. dia. bear S 37 E 13 lbs. dist. of  
a do. 14 " " " N 13 W 7 " "



82

S. E. R. 10 E. 2<sup>d</sup>. Mer. Indiana  
 ch. l. h.  
 79.00 to Section Corner.

North Between Sec. 22 & 23

5.15 a Beech 15 mi. dist.  
 40.00 Set gr. Sec. post, from which  
 a W. Oak 7 mi. dist. by N 11 W 26 l. h. dist. of  
 a Beech 28 " " " N 11 E 21 " "  
 80.00 Set post Cor. to Sec. 14, 15, 22 & 23, from which  
 an Elm 20 mi. dist. by S 74 W 19 l. h. dist. of  
 a Beech 25 " " " S 72 E 36 " "  
 Over level rich land, Beech, B. & W. Oak, timber  
 very tall.

East On Land M. between Sec. 14 & 23

40.00 Set temporary gr. Sec. post  
 72.00 a Creek 79 l. h. wide Course S. W.  
 78.90 Intersected the N & S. line 15 l. h. N. of post  
 Land timber &c. Same as on the last mile

West Cor. between Sec. 14 & 23

39.45 Set gr. Sec. post at average dist. from which  
 a Beech 20 mi. dist. by S 14 W 11 l. h. dist. of  
 a Do. 12 " " " N 45 W 5 " "  
 47.00 a Beech 20 " "  
 78.90 to Sec. Corner

North Between Sec. 13 & 14

5.80 a Beech 30 mi. dist.  
 40.00 Set gr. Sec. post, from which  
 a Beech 12 mi. dist. by S 80 E 27 l. h. dist. of  
 a Do. 16 " " " S 50 W 10 " "  
 55.00 a Creek 75 l. h. wide Course S. W.  
 80.00 Set post Cor. to Sec. 11, 12, 13 & 14, from which  
 a Beech 14 mi. dist. by N 37 E 4 l. h. dist. of  
 a Do. 12 " " " S 37 W 11 " "  
 Over high rich land, Beech, Sugar, Poplar, Ash  
 B. & W. Oak.

T 8 N. - R 10 E. 2<sup>nd</sup> Mer. Indiana 83

ch<sup>d</sup> l<sup>y</sup>

East On Rand<sup>m</sup>. between Sec<sup>s</sup>. 12 & 13

20.00 at Brook 70 l<sup>y</sup>. wide Course S. 70° W

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

78.30 Intersected the E. boundary 20 l<sup>y</sup>. N. of post  
Over hilly land 2<sup>nd</sup> rate soil, Beech & W. Oak  
underg<sup>th</sup>. Beech

---

West Corrected between Sec<sup>s</sup>. 12 & 13

1.60 a Sugar 15 m. dia<sup>r</sup>.

39.15 Set q<sup>r</sup>. Sec. post, at average dist. from which  
a Sugar 12 m. dia<sup>r</sup>. bear S 10° W 15 l<sup>y</sup>. dist. of  
a Do. 15 " " " N 20° W 5 " "

78.30 to Sec. Corner. Jan<sup>y</sup>. 19<sup>th</sup>. 1807

---

North Between Sec<sup>s</sup>. 11 & 12

3.50 at Beech 20 m. dia<sup>r</sup>.

40.00 Set q<sup>r</sup>. Sec. post, from which  
a Poplar 12 m. dia<sup>r</sup>. bear N 18° W 21 l<sup>y</sup>. dist. of  
at Beech 20 " " " South 13 " "

80.00 Set post Co. to Sec<sup>s</sup>. 1, 2, 11 & 12, from which  
a Beech 19 m. dia<sup>r</sup>. bear N 62° W 11 l<sup>y</sup>. dist. of  
a Sugar 16 " " " S 74° E 34 " "  
Over level rich land, timber Beech, 12 & W. Oak

---

East On Rand<sup>m</sup>. between Sec<sup>s</sup>. 1 & 12

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

78.54 Intersected the E. boundary 50 l<sup>y</sup>. N. of post  
Over high rich land, Beech, Poplar, 12 & W. Oak

---

West Corrected between Sec<sup>s</sup>. 1 & 12

39.27 Set q<sup>r</sup>. Sec. post at average dist. from which  
a Sugar 18 m. dia<sup>r</sup>. bear S 27° W 13 l<sup>y</sup>. dist. of  
a Do. 20 " " " N 10° W 12 " "

42.50 a Sugar 18 " "

78.54 to Sec. Corner

---

84 S 8 N N 10 E, 2<sup>d</sup> Mer. Indiana

ch. l. l. l.

North Between Sec. 1 & 2

0.61 a Beech 15 mi. diam.

40.00 Set gr. Sec. post, from which

a Beech 18 mi. diam. bearing S 84° W 18 lks. dist. of

a Do. 20 " " " East 11 " "

74.80 Intersected the N. boundary 25 lks. E. of post, set post Cor. to Sec. 1 & 2, from which

a Beech 18 mi. diam. bearing N 45° W 32 lks. dist. of

a Do. 19 " " " S 41° E 17 " "

Over level 2<sup>d</sup> rate land, timber Beech, Sugar, Poplar, Ash, B & W Oak.

North Between Sec. 14 & 15

4.50 a Beech 12 mi. diam.

40.00 Set gr. Sec. post, from which

an Ash 20 mi. diam. bearing N 77° W 19 lks. dist. of

a Poplar 18 " " " N 51° E 6 " "

80.00 Set post Cor. to Sec. 10, 11, 14 & 15, from which

a Sugar 18 mi. diam. bearing N 72° W 20 lks. dist. of

a W. Oak 50 " " " S 76° E 52 " "

Over level land soil rich, Beech, B & W Oak &c.

East On Range between Sec. 11 & 14

40.00 Set temp. gr. Sec. post

79.00 Intersected the N & S. line at the post

Land timber &c. Same as on last mile

West Connected between Sec. 11 & 14

39.50 Set gr. Sec. post at average diam. from which

a Beech 18 mi. diam. bearing S 5° E 32 lks. dist. of

a Do. 16 " " " N 25° W 23 " "

41.75 a W. Oak 30 " "

79.00 to Sec. Corner

North Between Sec. 10 & 11

3.25 a Beech 12 mi. diam.

# 85

## S N N10 E, 2<sup>d</sup> Mer. Indiana

ch. ly

20.00 a Brook 17<sup>th</sup>, wide Course S. W.

40.00 Let q. Sec. post, from which  
at Beech 18 m. dist. bear N 85 E 32<sup>th</sup>, dist. of  
a Do. 19 " " " N 87 W 29 " "

80.00 Let post Cor. to Sec. 2, 3, 10 & 11, from which  
a Maple 20 m. dist. bear N 55 W 6<sup>th</sup>, dist. of  
a Beech 12 " " " S 72 E 26 " "  
Over high 2<sup>d</sup> rate land, timber Beech,  
Poplar, Maple &c

---

East On Land<sup>gm</sup>. between Sec. 2 & 11

40.00 Let temp. q. Sec. post

79.00 Intersected the N & S line 50<sup>th</sup> S. of post  
Land timber &c. same as on the last mile

---

West Connected between Sec. 2 & 11

39.50 Let q. Sec. post at average dist. from which  
a Sugar 19 m. dist. bear N 14 E 30<sup>th</sup>, dist. of  
at Beech 18 " " " N 49 W 18 " "

40.25 a Beech 12 " "

79.00 to Sec. Corner

---

North Between Sec. 2 & 3

9.82 a D. Gum 20 m. dist.

40.00 Let q. Sec. post, from which  
a Beech 20 m. dist. bear N 63 E 14<sup>th</sup>, dist. of  
a Do. 18 " " " S 87 W 19 " "

74.50 Intersected the N. boundary 74<sup>th</sup> E. of post  
Let post Cor. to Sec. 2 & 3, from which  
at D. Oak 15 m. dist. bear N 35 W 60<sup>th</sup>, dist. of  
a Beech 18 " " " S 40 E 26 " "  
Land level, Beech &c. 2<sup>d</sup> rate. Jan'y. 20, 1807

---

North Between Sec. 33 & 34

3.50 a Beech 20 m. dist.

40.00 Let q. Sec. post, from which



# S 8 N - R 10 E. 2<sup>d</sup> Mer. Indiana

ch. 1/4

a Beech 20 in. dia. bray N 41 E 20 lks dist. of  
 a Do. 30 " " " S 52 W 16 "  
 80.00 Set post Cor. to Sec. 27, 28, 33 & 34 from which  
 a Beech 19 in. dia. bray N 48 E 10 lks. dist. of  
 a Do. 27 " " " S 55 W 23 "  
 Over level 2<sup>d</sup> rate land, timber Beech,  
 Poplar, B & W. Oak &c.

East Out Rand<sup>m</sup>. between Sec. 27 & 34

40.00 Set gr. Sec. post temporarily

63.00 a fresh 70 lks. wide Course S. W.

78.50 Intersected the N & S. line at the post  
 Over high 2<sup>d</sup> rate land, Beech, B & W. Oak  
 undag<sup>d</sup>. Spruce &c.

West Corrected between Sec. 27 & 34

3.00 a Sugar 20 in. dia.

39.25 Set gr. Sec. post at average dist. from which  
 a Beech 35 in. dia. bray S 72 W 23 lks. dist. of  
 a Maple 30 " " " N 62 E 19 " "

78.50 to Sec. Corner.

North Between Sec. 27 & 28

10.00 a Beech 30 in. dia.

40.00 Set gr. Sec. post, from which  
 a Beech 18 in. dia. bray N 77 E 17 lks. dist. of  
 a Do. 12 " " " S 64 W 10 "

80.00 Set post Cor. to Sec. 21, 22, 27, 28, from which  
 a Beech 20 in. dia. bray N 18 E 8 lks. dist. of  
 a Do. 40 " " " S 28 W 9 " "  
 Flat Beech land.

East Out Rand<sup>m</sup>. between Sec. 22 & 27

40.00 Set temp. gr. Sec. post

78.40 Intersected the N & S. line 10 lks. N. of post  
 Level Beech land

87

T8 N. N10 E. 2<sup>d</sup>. Mer. Indiana

ch. l. lth

West Corrected between Sec. 22 & 27

17.00 a / L. Gum 12 m. dist.

39.20 Let of Sec. post at average dist. from which  
a Beech 12 m. dist. bear N 34 W 17 lth. dist. of  
a do. 18 " " " N 63 E 13 " "

78.40 to Sec. Corner.

---

North Between Sec. 21 & 22

10.00 a Beech 18 m. dist.

40.00 Let of Sec. post, from which  
a Beech 20 m. dist. bear S 53 W 7 lth. dist. of  
an Ash 15 " " " N 52 E 19 " "

80.00 Let post Cor. to Sec. 15, 16, 21 & 22, from which  
a Beech 18 m. dist. bear West 35 lth. dist. of  
a do. 30 " " " N 85 E 30  
Over level land, 2<sup>d</sup>. rate, Beech, 12 & N. oak

---

East On Land<sup>m</sup>. between Sec. 15 & 22

40.00 Let temp. of Sec. post

78.43 Entered the N & S. line 10 lth. S. of post  
Over flat Beech land

---

West Corrected between Sec. 15 & 22

39.21 Let of Sec. post at average dist. from which  
an Elm 20 m. dist. bear West 13 lth. dist. of  
a Maple 18 " " " N 82 E 19 " "

39.56 an Elm 20 " " "

78.43 to Sec. Corner Jan. 21<sup>st</sup>. 1877

---

North Between Sec. 15 & 16

38.40 a / L. Gum 17 m. dist.

40.00 Let of Sec. post, from which  
a Beech 20 m. dist. bear S 52 E 18 lth. dist. of  
a do. 11 " " " N 64 W 18 " "

58.00 a Brook 20 lth. wide Course S. W.

80.00 Let post Cor. to Sec. 9, 10, 15 & 16, from which

S 8 N - R 10 E 2<sup>d</sup> Mer. Indiana

ch. l. by

a Sugar 25 m. dia. bray N 47° W 53 l. h. dist. of  
at Beech 30 " " S 76° E 20 " "  
Over level Beech land

East On Rand<sup>m</sup>. between Sec. 10 & 15

40.00 Set temp<sup>y</sup>. gr. Sec. post

59.50 a Beech 20 l. h. wide Corner S. W.

78.70 Intersected the N & S. line 20 l. h. N. of post  
Over high 2<sup>d</sup> rate land, Beech, Poplar &c.

West Connected between Sec. 10 & 15

38.90 an Ash 20 m. dia. bray

39.35 Set gr. Sec. post at average dist. from which  
a Hickory 15 m. dia. bray S 76° E 14 l. h. dist. of  
an Ash 20 " " " N 52° E 16 " "

78.70 to Sec. Corner.

North Between Sec. 9 & 10

7.75 a Beech 20 m. dia.

40.00 Set gr. Sec. post, from which

at Beech 20 m. dia. bray N 69° W 19 l. h. dist. of  
a do. 20 " " " South 12 " "

80.00 Set post Cor. to Sec. 3, 4, 9 & 10, from which

a Beech 20 m. dia. bray N 63° E 32 l. h. dist. of  
a do. 18 " " " S 59° W 9 " "

Level 2<sup>d</sup> rate land, Beech, Poplar, Sugar &c.

East On Rand<sup>m</sup>. between Sec. 3 & 10

40.00 Set temp<sup>y</sup>. gr. Sec. post

78.69 Intersected the N & S. line 40 l. h. N. of post  
Over high 2<sup>d</sup> rate land Beech, Poplar &c.

West Connected between Sec. 3 & 10

39.33 Set gr. Sec. post at average dist. from which  
an Ash 20 m. dia. bray N 17° W 32 l. h. dist. of  
a Sugar 18 " " " South 15 " "

89

S. N. R. W. E. 2<sup>d</sup>. Mer. Indiana

44.73 a Beech 17 in. dia.  
78.69 to Sec. Corner.

---

North Between Sec. 3 of 4

7.50 a Poplar 80 in. dia.  
40.00 Set q<sup>r</sup>. Sec. post, from which  
at Beech 18 in. dia. bearing N 28 E 25 l<sup>h</sup>s. dist. of  
a do. 17 " " " 116 N 39 " "  
75.65 Intersected N. boundary 272 l<sup>h</sup>s. N. of post  
Set post Cor. to Sec. 3 of 4, from which  
at Beech 25 in. dia. bearing S 73 E 10 l<sup>h</sup>s. dist. of  
a do. 20 " " " N 73 W 37 " "  
Over level land, Beech, Poplar, Ash &c  
January 22. 1807

---

North Between Sec. 32 of 33

2.19 a Beech 20 in. dia.  
40.00 Set q<sup>r</sup>. Sec. post, from which  
at Beech 20 in. dia. bearing S 75 E 33 l<sup>h</sup>s. dist. of  
a do. 18 " " " S 76 W 16 " "  
80.00 Set post Cor. to Sec. 28, 29, 32 of 33, from which  
at Gum 16 in. dia. bearing N 82 E 10 l<sup>h</sup>s. dist. of  
a Beech 15 " " " S 61 W 18 " "  
Over high 2<sup>d</sup>. rate land, Beech, Ash, 12 & W. Oak

---

East On Rand<sup>m</sup>. between Sec. 28 of 33

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post  
79.50 Intersected the N. & S. line 19 l<sup>h</sup>s. S. of post  
Land timber &c. Same as on the last mile

---

West Connected between Sec. 28 of 33

39.36 an Ash 20 in. dia.  
39.75 at Beech 12 in. dia. Stand for q<sup>r</sup>. Sec. Cor.  
at average distance on true line  
79.50 to Sec. Corner.

---



S 8 N 10 E 2<sup>d</sup>. Mer. Indiana

ch<sup>l</sup> 1<sup>th</sup>  
North Between Sec<sup>s</sup>. 28 & 29

6.82 a Beech 20 m. dia.

40.00 Set q<sup>r</sup>. Sec. post, from which  
a Poplar 40 m. dia. bray N 54 E 7<sup>th</sup>. dist. of  
a Beech 20 " " " N 11 E 42 " "

55.00 a Brook 17<sup>th</sup>. wide C<sup>r</sup>. S. W. up it 5 chains

80.00 Set post Cor. to Sec<sup>s</sup>. 20, 21, 28, 29, from which  
a Beech 20 m. dia. bray N 89 E 36<sup>th</sup>. dist. of  
a Do. 25 " " " N 89 W 32 " "

Over high 2<sup>d</sup>. rate land, Beech, Sugar etc.  
under 1<sup>st</sup>. price &c.

---

East On Rand<sup>m</sup>. between Sec<sup>s</sup>. 21 & 28

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

45.00 a Brook 15<sup>th</sup>. wide Course S. W.

79.25 Intersected the N & S. line 30<sup>th</sup>. S. of post  
Over level Beech land, Soil 2<sup>d</sup>. rate

---

West Connected between Sec<sup>s</sup>. 21 & 28

39.62<sup>1</sup>/<sub>2</sub> Set q<sup>r</sup>. Sec. post at average dist. from which  
a Hickory 16 m. dia. bray N 24 E 13<sup>th</sup>. dist. of  
a Beech 14 " " " N 15 E 20 " "

42.62 a Do 23 " "

79.25 to Sec. Corner. January 23<sup>d</sup>. 1807

---

North Between Sec<sup>s</sup>. 20 & 21

19.50 a Beech 25 m. dia.

40.00 Set q<sup>r</sup>. Sec. post, from which  
a Beech 12 m. dia. bray N 15 E 19<sup>th</sup>. dist. of  
a Oak 40 " " " South 4 " "

72.50 a Brook 25<sup>th</sup>. wide Course S. W.

80.00 Set post Cor. to Sec<sup>s</sup>. 16, 17, 20 & 21, from which  
a Beech 25 m. dia. bray East 45<sup>th</sup>. dist. of  
a Do. 27 " " " N 88 W 48 " "

Over high 2<sup>d</sup>. rate land, Beech, Poplar, Hick etc.

---

S 8 N. R 10 E. 2<sup>nd</sup> Mer. Indiana 91

ch<sup>2</sup> l<sup>th</sup>  
East On Rand<sup>m</sup>. between Sec<sup>s</sup>. 16 & 21  
22.50 a Brook 25 l<sup>th</sup>. wide Course S.W.  
40.00 Left temp<sup>y</sup>. q<sup>r</sup>. Sec. post  
79.10 Intersected the N & S. line 15 l<sup>th</sup>. S. of post  
Over hilly land, Beech &c. undg<sup>t</sup>. pice, green-  
brier, Dogwood &c.

---

West Corrected between Sec<sup>s</sup>. 16 & 21  
39.55 Set q<sup>r</sup>. Sec. post, at average dist. from which  
a Beech 16 in. dia. bray S 39 E 14 l<sup>th</sup>. dist. of  
a Do. 15 " " " N 72 W 16 " "  
40.71 a Beech 17 " "  
79.10 to Sec. Corner

---

North Between Sec<sup>s</sup>. 16 & 17  
6.80 a Black Oak - in char.  
17.50 a Brook 20 l<sup>th</sup>. wide S.W.  
40.00 Set q<sup>r</sup>. Sec. post, from which  
a Beech 12 in. dia. bray S 60 E 8 l<sup>th</sup>. dist. of  
a Do. 30 " " " S 58 W 11 " "  
80.00 Set post Cor. to Sec<sup>s</sup>. 8, 9, 16 & 17, from which  
a Beech 30 in. dia. bray N 77 W 25 l<sup>th</sup>. dist. of  
an Ash 20 " " " S 41 E 17 " "  
Over high p<sup>l</sup>. rate, Beech, B & W. Oak &c.

---

East On Rand<sup>m</sup>. between Sec<sup>s</sup>. 9 & 16  
40.00 Left temp<sup>y</sup>. q<sup>r</sup>. Sec. post  
79.00 Intersected the N & S. line 2 l<sup>th</sup>. S. of post  
Land timber &c. same as on last mile

---

West On Rand<sup>m</sup>. between Sec<sup>s</sup>. 9 & 16  
39.50 Set q<sup>r</sup>. Sec. post at average dist. from which  
a Beech 16 in. dia. bray S 30 W 15 l<sup>th</sup>. dist. of  
a Sugar 20 " " " N 32 E 44 " "  
40.98 a Beech 25 " "  
79.00 to Sec. Corner.

92 S 8 N - R 10 E. 2<sup>d</sup> Mer. Indiana

ch<sup>d</sup> l<sup>th</sup>

North Between Sec<sup>s</sup>. 8 & 9

2.41 a Beech 18 in. dia<sup>r</sup>.

40.00 Set q<sup>r</sup>. Sec. post, from which

a Beech 20 in. dia<sup>r</sup>. bray S 75 W 31 l<sup>th</sup>. dist. of

a B. Oak 50 " " " N 85 E 25 " "

51.00 a Brook 10 l<sup>th</sup>. wide Cor. S. W.

80.00 Set post Cor. to Sec<sup>s</sup>. 4, 5, 8 & 9, from which

a Beech 18 in. dia<sup>r</sup>. bray N 85 E 19 l<sup>th</sup>. dist. of

an Elm 14 " " " N 88 W 27 " "

Hilly Poor Beech land, und<sup>r</sup>g<sup>d</sup>. Dogwood

East On Rand<sup>m</sup>. between Sec<sup>s</sup>. 4 & 9

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

79.27 Intersected the N 8 S. line at the post

High 2<sup>d</sup> rate land timber Beech, Hickory &c.

West Connected between Sec<sup>s</sup>. 4 & 9

39.63<sup>1</sup>/<sub>2</sub> Set q<sup>r</sup>. Sec. post at average dist. from which

a Beech 40 in. dia<sup>r</sup>. bray S 23 E 52 l<sup>th</sup>. dist. of

a Sugar 30 " " " N 15 W 23 " "

43.20 a Beech 17 " "

79.27 to Sec. corner

North Between Sec<sup>s</sup>. 4 & 5

0.75 a Brook 10 l<sup>th</sup>. wide Course S. W

7.50 a Beech 19 in. dia<sup>r</sup>.

40.00 Set q<sup>r</sup>. Sec. post, from which

a Beech 30 in. dia<sup>r</sup>. bray N 71 E 26 l<sup>th</sup>. dist. of

a Hor. 35 " " " S 80 W 15 " "

65.00 a Brook 15 l<sup>th</sup>. wide Course W.

76.25 Intersected St. boundary 266 l<sup>th</sup>. W. of post

Set post Cor. to Sec<sup>s</sup>. 4 & 5, from which

a Poplar 30 in. dia<sup>r</sup>. bray N 75 E 33 l<sup>th</sup>. dist. of

a Beech 25 " " " S 81 W 39 " "

Own hilly 2<sup>d</sup> rate land, Beech, Sugar &c  
und<sup>r</sup>g<sup>d</sup>. Dogwood. Jan<sup>y</sup>. 24<sup>th</sup>. 1807

# 93

## S 8 N R 10 E. 2<sup>d</sup>. Mer. Indiana

ch. 4<sup>th</sup>  
North Between Sec. 31 & 32

13.50 a Beech 18 mi. dist.

30.00 a Brook 10<sup>th</sup> mi. wide Corns S.W.

40.00 Set of Sec. post, from which  
a Sugar 20 mi. dist. by South 34<sup>th</sup> mi. dist. of  
a Co. 30 " " " N 51 W 18 " "

80.00 Set post Cor. to Sec. 29, 30, 31 & 32, from which  
a Sugar 18 mi. dist. by N 20 E 19<sup>th</sup> mi. dist. of  
a Beech 17 " " " N 20 W 15 " "  
Over high 2<sup>d</sup> rate Beech land

---

East Out Land<sup>m</sup> between Sec. 29 & 32

40.00 Set temp. of Sec. post

80.00 Intersected the N & S. line at the post  
Land timber &c. same as on last mile

---

West Connected between Sec. 29 & 32

1.40 a Beech 25 mi. dist.

40.00 Set of Sec. post at average dist. from which  
a Sugar 20 mi. dist. by S 52 E 25<sup>th</sup> mi. dist. of  
a Beech 10 " " " N 62 W 19 " "

80.00 to Sec. Corner

---

West Between Sec. 30 & 31

0.86 a Beech 26 mi. dist.

40.00 Set of Sec. post, from which  
a Sugar 23 mi. dist. by East 21<sup>th</sup> mi. dist. of  
any Elm 30 " " " N 7 W 9 " "

86.94 Intersected W. boundary at the post  
Over hilly poor land, Beech, W. Oak &c.  
underg<sup>m</sup>, Logwood &c.

---

North Between Sec. 29 & 30

22.66 a Beech 28 mi. dist.

40.00 Set of Sec. post, for which  
a Beech 11 mi. dist. stands for cor. from which



94 T & N R 10 E. 2<sup>nd</sup> Mer. Indiana

ch. lks

a Beech 30 in. dia. bray N 55 W 22 lks. dist. of  
58.00 a Rank resembling Keel  
80.00 Set post Cor. to Sec. 19, 20, 29 & 30, from which  
a Beech 35 in. dia. bray N 64 W 28 lks. dist. of  
a Sugar 24 " " " N 25 E 30 " "  
Over hilly poor Beech, land - underg<sup>m</sup>. Sal-  
lappas, Dogwood then interwoven with greenbriers

---

East On Rand<sup>m</sup>. between Sec. 20 & 29

40.00 Set temp<sup>y</sup>. gr. Sec. post  
80.00 Intersected the N & S. line 10 lks. N. of post  
Over high 2<sup>nd</sup> rate, Beech land, underg<sup>m</sup>.  
Dogwood very thick

---

West Corrected between Sec. 20 & 29

40.00 Set gr. Sec. post, from which  
a Beech 10 in. dia. bray N 8 W 7 lks. dist. of  
a Sugar 16 " " " N 8 E 20 " "  
40.55 a Beech 18 " "  
80.00 to Sec. Corner.

---

West Between Sec. 19 & 30

4.62 an Elm 22 in. dia.  
40.00 Set gr. Sec. post, from which  
a Poplar 20 in. dia. bray N 32 E 14 lks. dist. of  
a Beech 35 " " " South 18 " "  
86.33 Intersected W. boundary 90 lks. N. of post  
Set post Cor. to Sec. 19 & 30, from which  
a Sugar 20 in. dia. bray S 37 W 40 lks. dist. of  
a Beech 18 " " " N 13 W 31 " "  
Over very hilly poor land, Beech, Oak &c.  
underg<sup>m</sup>. Sallappas, Dogwood, greenbriers  
Beech, soil good for Buck wheat

---

North Between Sec. 19 & 20

16.00 a Beech 40 in. dia.

S 8 N R 10 E. 2<sup>d</sup>. Mer. Indiana 95

ch<sup>d</sup>. lks

- 40.00 Set q<sup>r</sup>. Sec. post, from which  
a Sugar 19 m. dist. by N 64 W 12 lks. dist. of  
a Beech 16 " " " S 40 E 4 " "  
49.00 a Brook 20 lks. wide Course W.  
80.00 Set post Cor. to Sec. 17, 18, 19 & 20, from which  
a Beech 17 m. dist. by N 57 W 22 lks. dist. of  
a Do. 20 " " " S 69 E 11 " "  
Over high 2<sup>d</sup> rate land, timber Beech  
January 25<sup>th</sup>. 1807
- 

East On Land, between Sec. 17 & 20

- 27.00 a Brook 30 lks. wide Course S. W.  
40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post  
80.00 Intersected the N & S. line at the post  
Land timber &c. same as on the last (mile)
- 

West Corrected between Sec. 17 & 20

- 40.00 Set q<sup>r</sup>. Sec. post at average dist. from which  
a Sugar 18 m. dist. by S 52 E 19 lks. dist. of  
a Do. 18 " " " N 45 W 17 " "  
41.57 a Beech 12 " "  
80.00 to Sec. Corner
- 

West Between Sec. 18 & 19

- 40.00 Set q<sup>r</sup>. Sec. post, from which  
a Beech 30 m. dist. by N 16 E 23 lks. dist. of  
a Do. 28 " " " S 51 W 33 " "  
40.77 a Beech 20 " "  
62.00 a Creek 40 lks. wide Course S.  
75.00 a Small Cove  
85.84 Intersected W. boundary 150 lks. N. of post  
Set post Cor. to Sec. 18 & 19, from which  
a Beech 12 m. dist. by N 5 E 37 lks. dist. of  
a Sugar 33 " " " S 33 W 32 " "  
Land timber &c. same as on last mile
-

96 S 8 N - R 10 E. 2<sup>nd</sup>. Mer. Indiana

ch. 2<sup>nd</sup> 1/4  
North Between Sec. 17 & 18, S 8 N. R 10 E.

- 8.50 a Sugar 23 in. dia.  
40.00 Let off Sec. post from which  
a Sugar 12 in. dia. bear N 83 W 25 lth. dist. of  
a Beech 30 " " " S 87 E 22 " "  
77.50 a Creek 40 lth. wide Course S. W.  
80.00 Let post Cor. to Sec. 1, 7, 8, 17 & 18, from which  
a Beech 18 in. dia. bear N 37 E 40 lth. dist. of  
a Do. 16 " " " S 87 W 10 " "  
Land timber &c. same as on last mile
- 

East On Rand. between Sec. 8 & 17

- 9.50 a Creek 40 lth. wide Course S. W.  
40.00 Let temp. gr. Sec. post  
79.90 Intersected the N & S. line 15 lth. N. of post  
Land timber &c. same as on the last mile
- 

West Connected between Sec. 8 & 17

- 39.95 Let gr. Sec. post at average dist. from which  
a Beech 20 in. dia. bear N 37 E 38 lth. dist. of  
a Dogw. 10 " " " S 50 W 28 " "  
41.79 a Beech 20 " "  
79.90 to Sec. Corner.
- 

West Between Sec. 7 & 18

- 8.58 a Sugar 19 in. dia.  
40.00 Let off Sec. post, from which  
a Beech 20 in. dia. bear N 12 E 17 lth. dist. of  
a Do. 23 " " " S 19 E 19 " "  
84.84 Intersected N. boundary 11 lth. North of post  
Let post Cor. to Sec. 7 & 18, from which  
a Beech 18 in. dia. bear S 8 E 24 lth. dist. of  
a Maple 30 " " " N 18 W 32 " "  
Over high 2<sup>nd</sup> rate Beech land.
- 

North Between Sec. 7 & 8

# S. N. R. W. E. 2<sup>d</sup>. Mer. Indiana 97

ch. 1/2

- 1.41 a Poplar 25 mi. dist.  
 40.00 Set q<sup>r</sup>. Sec. post, from which  
 a Beech 20 mi. dist. bear N 7<sup>W</sup> 15<sup>W</sup> 15<sup>W</sup> dist. of  
 a do. 17 " " " South 15 " "  
 80.00 Set post Cor. to Sec. 5, 6, 7 & 8, from which  
 a Poplar 72 mi. dist. bear N 20<sup>W</sup> 12<sup>W</sup> 12<sup>W</sup> dist. of  
 a Beech 20 " " " S 9<sup>W</sup> 27 " "  
 Land timber &c. same as on last mile

East On Land 9<sup>m</sup>. between Sec. 5 & 8

- 40.00 Set Temp<sup>y</sup>. q<sup>r</sup>. Sec. post,  
 79.00 a Brook 10<sup>W</sup> 10<sup>W</sup> wide Course N  
 79.80 Intersected N of S. line 10<sup>W</sup> 10<sup>W</sup> N. of post  
 Over level Beech land 2<sup>d</sup>. rate

West Corrected between Sec. 5 & 8

- 39.90 Set q<sup>r</sup>. Sec. post at average dist. from which  
 a Beech 25 mi. dist. bear S 31<sup>E</sup> 38<sup>E</sup> 11<sup>E</sup> dist. of  
 a do 18 " " " N 45<sup>W</sup> 11 " "  
 46.15 a Beech 20 " "  
 79.80 to Sec. Corner

West Between Sec. 6 & 7

- 0.34 a Sugar 30 mi. dist.  
 40.00 Set q<sup>r</sup>. Sec. post, from which  
 a Sugar 20 mi. dist. bear N 62<sup>E</sup> 49<sup>E</sup> 11<sup>E</sup> dist. of  
 a Beech 12 " " " S 34<sup>W</sup> 11 " "  
 83.72 Intersected W. boundary 150<sup>W</sup> 150<sup>W</sup> N. of post  
 Set post Cor. to Sec. 6 & 7, from which  
 a Sugar 18 mi. dist. bear N 9<sup>W</sup> 5<sup>W</sup> 5<sup>W</sup> dist. of  
 a Beech 16 " " " S 20<sup>E</sup> 39 " "  
 Over Poor hilly Beech land

North Between Sec. 5 & 6

- 7.68 a Beech 22 mi. dist.  
 14.00 a Brook 10<sup>W</sup> 10<sup>W</sup> wide Course S. W.



T8 N. R10 E. 2<sup>d</sup> Mer. Indiana

ch. l. by

40.00 At gr. sec. post, from which  
at Beech 16 mi. dist. by N 65 W 9 l. m. dist. of  
an Ash 20 " " " N 41 E 4 " "

75.25 Intersected the N. boundary 223 l. m. N. of  
post, at post Cor. to Sec. 5 & 6, from which  
at Beech 17 mi. dist. by N 71 E 25 l. m. dist. of  
a Sugar 20 " " " N 79 W 15 " "

Over level Beech land 2<sup>d</sup> rate soil

Survey. 26<sup>th</sup> 1807

Surveyed by John Brownson,  
Deputy Surveyor

Comp'd

I certify that the foregoing transcript of field notes  
of township N. 8 N. Range N. 10 E. 2<sup>d</sup> Mer. Indiana,  
has been compared with the original notes in this  
Office, and found to be correct.

Surveyor Gen. Office  
Cincinnati, Oct. 25<sup>th</sup> 1842

William Johnston  
Sur. Gen.